

Safety Data Sheet

SECTION 1: Identification

1.1 GHS Product identifier

Product name **CrystalDry**
Product number 844
Brand Crown Chemical, Inc.

1.2 Other means of identification

CrystalDry

1.3 Recommended use of the chemical and restrictions on use

Clear Coat Protectant and Drying Agent with Silicone Wax

1.4 Supplier's details

Name Crown Chemical, Inc.
Address 4701 W. 136th. St.
Crestwood, Illinois 60418
U.S.A.
Telephone 708-371-6990
Fax 708-371-6992
email info@crown-chem.com

1.5 Emergency phone number

800-535-5053

SECTION 2: Hazard identification

General hazard statement

Causes skin irritation and serious eye irritation. Harmful if swallowed.

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Eye damage/irritation, Cat. 2A
- Skin corrosion/irritation, Cat. 2

2.2 GHS label elements, including precautionary statements

Pictogram



1. Exclamation mark

Signal word

Warning

Hazard statement(s)

H315
H319

Causes skin irritation
Causes serious eye irritation

Precautionary statement(s)

P264
P280

Wash hands & skin thoroughly after handling.
Wear eye protection/face protection/protective gloves.

Safety Data Sheet

CrystalDry

P302+P352	IF ON SKIN: Wash with plenty of water/Take off immediately contaminated clothing and wash it before reuse. Call a poison control center or doctor for treatment advice if irritation persists.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P321	Specific treatment (see details on label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Contains No Hazardous Ingredients

Components

1. Butoxyethanol

Concentration	5 - 11 % (By Weight)
CAS no.	111-76-2

- Flammable liquids, Cat. 4
- Acute toxicity, dermal, Cat. 4
- Acute toxicity, inhalation, Cat. 4
- Acute toxicity, oral, Cat. 4
- Skin corrosion/irritation, Cat. 2
- Eye damage/irritation, Cat. 2A

H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
SCLs/M-factors/ATEs	Oral: ATE = 1200 mg/kg

Trade secret statement (OSHA 1910.1200(i))

The specific chemical identities and/or actual concentrations for one or more components are being withheld as trade secrets under the US regulation 29 CFR 1910.1200(i).

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled	Remove person to fresh air and keep comfortable for breathing.
In case of skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower for at least 15 minutes. Call a poison center or doctor if irritation develops or persists. Wash contaminated clothing before reuse.
In case of eye contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor.
If swallowed	Rinse out mouth. Do NOT induce vomiting.

Safety Data Sheet

CrystalDry

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Specific hazards arising from the chemical

Carbon oxides

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as described in Section 8. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Evacuate personnel to safe areas.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use personal protective equipment as required. Keep container closed when not in use. Never return spills in original containers for re-use. Keep out of the reach of children.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Butoxyethanol (CAS: 111-76-2)

PEL (Inhalation): 50 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

Safety Data Sheet

CrystalDry

PEL (Inhalation): 240 mg/m³ (OSHA)
OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 20 ppm (Cal/OSHA)
OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 5 ppm (NIOSH)
OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 20 ppm, 97 mg/m³
California permissible exposure limits for chemical contaminants
(Title 8, Article 107)/Skin

TWA (Inhalation): 50 ppm, 240 mg/m³; USA (OSHA)
USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air
Contaminants/Skin designation
The value in mg/m³ is approximate

TWA (Inhalation): 5 ppm, 24 mg/m³; USA (NIOSH)
USA. NIOSH Recommended Exposure Limits/Potential for dermal absorption

TWA (Inhalation): 20 ppm; USA (ACGIH)
USA. ACGIH Threshold Limit Values (TLV)/Upper Respiratory Tract irritation Eye irritation Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans

TLV® (Inhalation): 20 ppm; USA (ACGIH)
OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Tightly fitting safety goggles. If splash hazard, wear faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Wear protective gloves. Consult manufacturer specifications for further information.

Body protection

Wear protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Not required under normal use conditions. Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available.

Environmental exposure controls

Do not let product enter drains.

SECTION 9: Physical and chemical properties and safety characteristics

Basic physical and chemical properties

Appearance

Orange Liquid

Odor

Characteristic

Odor threshold

No data available.

Safety Data Sheet

CrystalDry

Melting point/freezing point	No data available.
Boiling point or initial boiling point and boiling range	No data available.
Flammability	No data available.
Lower and upper explosion limit/flammability limit	No data available.
Flash point	>200°F
Explosive properties	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Oxidizing properties	No data available.
pH	<9.0 (1% solution, 22°C)
Kinematic viscosity	No data available.
Solubility	100% (in H ₂ O, 22°C)
Partition coefficient n-octanol/water (log value)	No data available.
Vapor pressure	No data available.
Evaporation rate	No data available.
Density and/or relative density	<1.0 (H ₂ O = 1.0)
Relative vapor density	No data available.

Particle characteristics

No data available.

Further safety characteristics (supplemental)

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Contact with incompatible materials. Sources of ignition. Exposure to heat.

10.2 Chemical stability

Stable under normal storage conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

Acute toxicity

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.
The ATE (gas inhalation) of the mixture is: 40909.09 ppmV

Skin corrosion/irritation

Causes skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Serious eye damage/irritation

Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Respiratory or skin sensitization

May cause an allergic skin reaction

Safety Data Sheet

CrystalDry

Germ cell mutagenicity

No data available.

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Additional information

Butoxyethanol: *TOXICITY:
typ. dose mode specie amount units other

TCLo ihl hmn 195 ppm/8H

LD50 orl rat 1480 mg/kg

LC50 ihl rat 450 ppm/4H

LD50 ipr rat 220 mg/kg

LD50 ivn rat 340 mg/kg

LD50 orl mus 1230 mg/kg

LC50 ihl mus 700 ppm/7H

LD50 ipr mus 536 mg/kg

LDLo scu mus 500 mg/kg

LD50 ivn mus 1130 mg/kg

LD50 orl rbt 320 mg/kg

LD50 skn rbt 490 mg/kg

LD50 ivn rbt 280 mg/kg

LD50 orl gpg 1200 mg/kg

LD50 skn gpg 230 mg/kg

LD50 ipr rbt 220 mg/kg

*AQTX/TLM96: 1000-100 ppm

*SAX TOXICITY EVALUATION:

THR = HIGH human irritant via inhalation. HIGH via intravenous, oral and dermal routes. MODERATE via oral, intraperitoneal, inhalation, subcutaneous and dermal routes. MILD skin and eye irritant.

*CARCINOGENICITY: Not available

SECTION 12: Ecological information

Toxicity

No data available on product

Safety Data Sheet

CrystalDry

Persistence and degradability

No data available on product

Bioaccumulative potential

No data available on product

Mobility in soil

No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Product disposal

Avoid disposal of this product. Use complete contents according to directions. Do not release contents into a municipal sewer except through normal dilution and usage. Do not release contents onto the ground or into any body of water. Dispose of empty container by offering for recycling if available, or into a landfill. Follow all applicable state and local regulations.

Packaging disposal

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Non-Regulated Liquid

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:
Ethylene glycol monobutyl ether, CAS: 111-76-2

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

Ethylene glycol monobutyl ether, CAS: 111-76-2

Pennsylvania Right To Know Components

Ethylene glycol monobutyl ether, CAS: 111-76-2

New Jersey Right To Know Components

Ethylene glycol monobutyl ether, CAS: 111-76-2

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

The information herein is believed to be correct, but is given without warranty or guaranty of any kind, express or implied. The hazards provided in this Safety Data Sheet apply to the product in its concentrated form, and may differ significantly after dilution.

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Crown Chemical, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Crown Chemical, Inc. has been advised of the possibility of such damages.