# **CRAWN**

### **Technical Data Sheet**

# FORMULA LC-50

## Low Foam Chlorinated CIP Food Plant Detergent

A premium quality, chlorinated alkaline detergent for low foam CIP cleaning of machinery, tanks, pipelines, equipment and other hard surfaces in food processing plants. Ideal for agitated cleaning systems where excessive foam may cause problems with rinsing or damage to pumps. Formulated for demanding maintenance requirements in food processing operations, meat and poultry plants, seafood pants, dairies, breweries, canning operations, bottle plants, etc. Removes difficult grease, oil, carbon and soils quickly and effectively. Contains powerful alkalis and surfactants for unmatched emulsifying power. Fortified with chelating agents for excellent performance in hard water areas. Deodorizes while cleaning. Rinses completely. Non-flammable and biodegradable. Not recommended for use on aluminum, tin, galvanized or other non-ferrous metal surfaces.

#### **Directions for Use**

**CIP Cleaning:** Flush vats, lines, etc. with water to remove residue. Prepare a solution of this product by diluting 2-4 ounces of detergent per gallon of warm water (100°F), depending on amount of soil to be removed. Heat solution, if possible, up to 160°F, then pump solution into lines, tanks or other equipment to be cleaned. Agitate and/or circulate solution for 10-15 minutes depending on amount of soil to be removed. For tanks and other accessible areas, scrub surfaces with a brush or sponge to improve soil removal. Allow solution several minutes contact time on surface to penetrate and dissolve soils. Rinse completely with potable hot water. A subsequent application of a no-rinse sanitizer may be required by local health authorities.

**Cleaning with Pressure Washing or Steam Cleaning Equipment:** Prepare a solution by dissolving 2-4 ounces of this product per gallon of warm water. Apply solution at low pressure to surfaces to be cleaned. Allow solution 5-10 minutes contact time on surface to penetrate and dissolve soils. Agitate with a brush or sponge to improve soil removal, then rinse completely with clean, high pressure water. Do not allow solution to dry on surfaces.

**Soak Tank Čleaning:** For stainlees steel utensils and other items too small to be washed in-place, dissolve 1-3 ounces of this product per gallon of warm water in a sink or soaking vessel. Soak items for 10-30 minutes. Scrub utensils with a long-handled brush to remove soils. Rinse completely with clean water. A subsequent application of no-rinse sanitizer may be required by local health authorities.

#### Safety Reminder

Consult product label and Safety Data Sheet (SDS) before use. SDS's may be downloaded from www.crown-chem.com.



#### **Technical Specifications**

Appearance White Powder Odor Chlorine pH (1% solution, 22°C) >11.5 Foaming Low Flash Point NA Bulk Density (lbs/qal, 22°C) 9.00 ±0.1 Stability Range NA Free Alkalinity (as Na<sub>2</sub>0) Very High Solubility (in H<sub>2</sub>O, 22°C) 100% Phosphate Content (as P) <5.0% **USDA** Rating Α1

#### **Product Number**

94801 94803

#### **Packaging**

100 lb. drum 300 lb. drum



4701 W. 136th St. • Crestwood, IL 60418 tel (708) 371-6990 • (800) 672-4065 fax (708) 371-6992 www.crown-chem.com

