## **CRIWN**<sup>™</sup>

### **Technical Data Sheet**

# GLISTEN

#### **Premium Performance Rinse Additive** for High Temperature Machines

A premium performance rinse additive designed for use in high temperature commercial dishwashing machines. Helps reduce water spotting and produces fast drying of glassware, silverware, dishware, etc. Eliminates the need for towel drying, which is time consuming, contributes to dish breakage, and is a health code violation in most areas. Very low foaming when used correctly. Highly concentrated and economical to use.

#### **Directions for Use**

This product is designed to be dispensed with equipment installed and/or approved by your Service Representative. Inject into the final rinse water of the dishmachine at a concentration of 50-100 ppm depending on operating conditions. The amount required and product performance will be affected by water hardness, rinse water temperatures and the dish machine's mechanical action. Water temperatures should be at least 180°F or higher for proper sanitizing and drying. Your Service Representative will review these factors and make adjustments as needed to produce good results.

#### **Safety Reminder**

Consult product label and Safety Data Sheet (SDS) before use. SDS's can be downloaded from www.crown-chem.com.



#### **Technical Specifications**

Appearance Odor pH (1% solution, 22°C) Foaming  $(>43^{\circ}C)$ Flash Point Bulk Density (lbs/gal, 22°C) 8.37 ±0.1 Stability Range Alkalinity (as  $Na_0$ ) Solubility (in H<sub>0</sub>, 22°C) Phosphate Content (as P)

#### **Product Number**

15241 15205

Blue-Green Liquid Characteristic <7.0 None >200°F 40-100°F None 100% None

Packaging 4x1 gal. case 5 gal. pail



4701 W. 136th St. • Crestwood, IL 60418 tel (708) 371-6990 · (800) 672-4065 fax (708) 371-6992 www.crown-cheem.com

